GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Health Medical & Family Welfare Department - Andhra Pradesh Allopathic Private Medical Care Establishments (Registration and Regulation) Rules, 2007- Amendment -Orders –Issued.

HEALTH MEDICAL & FAMILY WELFARE (D2) DEPARTMENT

G.O.MS.No. 57 **Dated: 28-05-2021.**

Read the following:

1. Act.No.13 of 2002 published in A.P. Gazette Part-iv-13 Extraordinary Issue, dated: 03-05-2002.
2. Act No.14 of 2006 published in the A.P. Gazette, Part-iv B No.14 Extraordinary Issue, dated: 09-01-2006.
3. Act.No.37 of 2006 published in the A.P. Gazette Part-iv B No.48 Extraordinary Issue, dated: 25-09-2006.
4. G.O.Ms.No.135, HM & FW (K2) Department, Dated: 28.04.2007
5. From the Commissioner Health & Family Welfare., A.P. E-office file No.1416059

****

ORDER :

In G.O. 4th read above, Government framed Andhra Pradesh Allopathic Private Medical Care Establishments (Registration and Regulation) Rules, 2007 under Section 18 of Andhra Pradesh Allopathic Private Medical Care Establishments (Registration and Regulation) Act, 2002 (Act No.13 of 2002).

2. In the circumstances reported by the Commissioner of Health & Family Welfare in the reference 5th read above, Government after careful examination, hereby issue the following amendments to the orders issued in G.O. 4th read above:

(i) The item: "Oxygen Cylinders" mentioned under Minor Equipment in Part - III of Appendix-I under caption "Minimum standards for Equipment and Furniture for Hospitals and Nursing Homes (Norms are Bed Strength Based)", shall be replaced with the following:

Name	≥100 bedded	50-100 bedded	≤50 bedded
Oxygen Cylinders	100	100	40

(ii) The item: "Oxygen Masks with Regulator" mentioned under Hospital Furniture in Part - III of Appendix-I under caption "Minimum standards for Equipment and Furniture for Hospitals and Nursing Homes (Norms are Bed Strength Based)", shall be replaced with the following :

Name	≥100 bedded	50-100 bedded	≤50 bedded
Oxygen Masks with Regulator	Equal to number of oxygen supported beds	Equal to number of oxygen supported beds	Equal to number of oxygen supported beds

(iii) The following items shall be added, after the list of items mentioned under "Equipment for Diagnostic Centers" in Part - III of

Appendix-I under caption "Minimum standards for Equipment and Furniture for Hospitals and Nursing Homes (Norms are Bed Strength Based)":

P.T.O

Name	≥100 bedded	50-100 bedded	≤50 bedded
PSA oxygen Plant	1000 LPM	500 LPM	-
Oxygen Concentrators	Equal to number of oxygen supported beds	Equal to number of oxygen supported beds	Equal to number of oxygen supported beds.

3. The Commissioner Health & Family Welfare /Director of Medical Education /Director of Public Health & Family Welfare / Commissioner, Andhra Pradesh Vaidya Vidhana Parishad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ANIL KUMAR SINGHAL
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Commissioner Health & Family Welfare, AP, Mangalagiri.
The Director of Public Health & Family Welfare, AP, Vijayawada.
The Director of Medical Education, AP, Vijayawada.
The Commissioner, Andhra Pradesh Vaidya Vidhana Parishad, AP, Vijayawada.
All District Collectors in the State.
All District Medical & Health Officers
All District Coordinator of Health Services.
Copy to:
OSD to Dy.CM (HFW & ME)
PS to Principal Secretary, HM & FW department.
SF/SC.

//FORWARDED :: BY ORDER//

SECTION OFFICER